

Our Ref: SW/LS/RM

13 April 2018


Report 317932

Page 1 of 2

Oddies Textiles
Unit 3 Bank House
Greenfield Road
Colne
Lancashire
BB8 9NL

DATE RECEIVED	:	20 MARCH 2018
QUALITY REFERENCE	:	A-01251-1550-A01, JOB 2158927
REPUTED FIBRE CONTENT	:	100% POLYESTER
FABRIC DESCRIPTION	:	MESH
COLOUR/DESIGN	:	BLACK
ORDER NUMBER	:	LD190318

REQUEST: Flammability Assessment (Based on EN 71-2)



S. WISEMAN
LABORATORY DIRECTOR



P. NEESAM
HEAD OF FLAMMABILITY

This report shall not be reproduced except in full without the written approval of HSTTS. In all circumstances results of tests are implied as referring only to the sample supplied and should not be construed or interpreted on any other basis. The comments given in the report are for guidance only and are not a part of the results. Opinions and interpretations expressed herein are outside the scope of UKAS accreditation.



Our Ref: SW/LS/RM

13 April 2018

Report 317932

Page 2 of 2

EN 71-2 Flammability Assessment

PASS

The net textiles was tested to clause 5.4 to assess its suitability for use against requirements 4.3 (disguise costumes) of EN71-2:2011.

There were no washing instructions or advice not to wash the item accompanying the toy so samples were washed in water in accordance with the method specified in this standard. The samples were then line dried.

The rate of spread of flame of the materials should not exceed 30 mm/sec over a 500 mm distance. If the rate of spread of flame is between 10 mm/sec and 30 mm/sec a warning would be required on both the toy and its packaging.

Where possible, samples were cut with the length corresponding to the vertical direction of the toy when in use, as this is unknown, samples were taken in both the length and width directions from the material supplied.

Where possible, samples of 610 by 100 mm of each material were taken, otherwise two samples of 310 mm by 100 mm were taken and tested as one.

Sample	Size	Orientation	Result
Purple net	Full size	Length	0 mm/sec
Purple net	Half sizes	Width	0 mm/sec

The materials would all be suitable for use as main materials in a worn toy or costume.