


TEST METHOD	SAMPLE DESCRIPTION	PARAMETERS	RESULT	U.M.	LIMITS	LQ	NOTES	LAB	
Specification for Migration of Certain Elements EN 71-3: 2013 + A1:2014	01 COLOUR 201 LIGHT	Aluminium	< 5	mg/kg	70000	5		ITA	
		Antimony	< 0,1	mg/kg	560	0,1		ITA	
		Arsenic	< 0,05	mg/kg	47	0,05		ITA	
		Barium	< 5	mg/kg	18750	5		ITA	
		Boron	< 5	mg/kg	15000	5		ITA	
		Cadmium	< 0,01	mg/kg	17	0,01		ITA	
		Chromium III	< 0,1	mg/kg	460	0,1		ITA	
		Chromium VI	< 0,005	mg/kg	0,2	0,00		ITA	
							5		
		Cobalt	< 0,1	mg/kg	130	0,1		ITA	
		Copper	< 5	mg/kg	7700	5		ITA	
		Lead	< 0,1	mg/kg	160	0,1		ITA	
		Manganese	< 5	mg/kg	15000	5		ITA	
		Mercury	< 0,1	mg/kg	94	0,1		ITA	
		Nickel	< 1	mg/kg	930	1		ITA	
		Selenium	< 1	mg/kg	460	1		ITA	
		Strontium	< 5	mg/kg	56000	5		ITA	
		Tin	< 0,1	mg/kg	180000	0,1		ITA	
		Zinc	< 5	mg/kg	46000	5		ITA	
			02 COLOUR 225 MEDIUM	Aluminium	< 5	mg/kg	70000	5	
Antimony	< 0,1			mg/kg	560	0,1		ITA	
Arsenic	< 0,05			mg/kg	47	0,05		ITA	
Barium	< 5			mg/kg	18750	5		ITA	
Boron	< 5			mg/kg	15000	5		ITA	
Cadmium	< 0,01			mg/kg	17	0,01		ITA	
Chromium III	< 0,1			mg/kg	460	0,1		ITA	
Chromium VI	< 0,005			mg/kg	0,2	0,00		ITA	
							5		
Cobalt	< 0,1			mg/kg	130	0,1		ITA	
Copper	< 5			mg/kg	7700	5		ITA	
Lead	< 0,1			mg/kg	160	0,1		ITA	
Manganese	< 5			mg/kg	15000	5		ITA	
Mercury	< 0,1			mg/kg	94	0,1		ITA	
Nickel	< 1			mg/kg	930	1		ITA	
Selenium	< 1			mg/kg	460	1		ITA	
Strontium	< 5			mg/kg	56000	5		ITA	
Tin	< 0,1			mg/kg	180000	0,1		ITA	
Zinc	< 5			mg/kg	46000	5		ITA	
	03 COLOUR 204 DARK			Aluminium	< 5	mg/kg	70000	5	
		Antimony	< 0,1	mg/kg	560	0,1		ITA	
		Arsenic	< 0,05	mg/kg	47	0,05		ITA	
		Barium	< 5	mg/kg	18750	5		ITA	
		Boron	< 5	mg/kg	15000	5		ITA	
		Cadmium	< 0,01	mg/kg	17	0,01		ITA	
		Chromium III	< 0,1	mg/kg	460	0,1		ITA	
		Chromium VI	< 0,005	mg/kg	0,2	0,00		ITA	
							5		

LABORATORY MANAGER



Ilenia Francioni

ilenia.francioni@intertek.com

START DATE 27/03/2018
 END DATE 03/04/2018

APPLICANT

TEXTIL OLIUS, SA
 C/Orient, 78-84, 2 planta 16-17
 08172 Sant Cugat del Vallès (Barcelona) BAR

SAMPLE DESCRIPTION Sample Received 27/03/2018
 Reference: WOOL VISCOSE FELT
 Colour: LIGHT COLOR 201 - MEDIUM COLOR 225 - DARK COLOR 204
 Buyer's Name: TEXTIL OLIUS, SA

Sample 01 COLOUR 201 LIGHT

Test	Rating	Failure result
Specification for Migration of Certain Elements EN 71-3: 2013 + A1:2014	P	

Sample 02 COLOUR 225 MEDIUM

Test	Rating	Failure result
Specification for Migration of Certain Elements EN 71-3: 2013 + A1:2014	P	

Sample 03 COLOUR 204 DARK

Test	Rating	Failure result
Specification for Migration of Certain Elements EN 71-3: 2013 + A1:2014	P	

P = MEETS REQUIREMENT / A = ACCEPTABLE / F = DOES NOT MEET REQUIREMENT / NR = NO REQUIREMENT / SC = STILL CONTINUES / X = NOT PERFORMED
 Values in brackets represent the limits

START DATE 27/03/2018
 END DATE 03/04/2018

TEST METHOD	SAMPLE DESCRIPTION	PARAMETERS	RESULT	U.M.	LIMITS	LQ	NOTES	LAB
		Cobalt	< 0,1	mg/kg	130	0,1		ITA
		Copper	< 5	mg/kg	7700	5		ITA
		Lead	< 0,1	mg/kg	160	0,1		ITA
		Manganese	< 5	mg/kg	15000	5		ITA
		Mercury	< 0,1	mg/kg	94	0,1		ITA
		Nickel	< 1	mg/kg	930	1		ITA
		Selenium	< 1	mg/kg	460	1		ITA
		Strontium	< 5	mg/kg	56000	5		ITA
		Tin	< 0,1	mg/kg	180000	0,1		ITA
		Zinc	< 5	mg/kg	46000	5		ITA


Test performed by:

ITA: Intertek Italia S.p.a.
 Via di Stagno 17 /f/g
 50055 Lastra a Signa (FI)


The partial reproduction of the present Test Report is not allowed without written authorization of the General Manager.
 The content of the present document refers exclusively to the submitted samples and not to the batch that they want to represent.
 A representative portion of the sample is kept for 60 days. Specimen are kept for 30 days.
 The content of the present document is not subjected to the Directive of the Council of Minister of 25th July 1985 - 85/37/EEC.
 Samples are drawn by customer.
 UM: unit of measurement
 Limits are based on Customer's Manual in force available at Intertek Italia S.p.a. - Via Illo Barontini 22/b - 50018 Scandicci (FI)
 Uncertainty is the extended uncertainty calculated using a coverage factor of 2 which gives a level of confidence of approximately 95%.
 All the results are reported without considering the uncertainty.
 LQ: Quantification Limit

RESULTS MARKED IN RED EXCEED LIMITS

LABORATORY MANAGER


 Ilenia Francioni

ilenia.francioni@intertek.com



END OF TEST REPORT

LABORATORY MANAGER

Ilania Francioni
Ilania Francioni

ilania.francioni@intertek.com